

IN THE CLAIMS

The following is a complete listing of the claims, and replaces all earlier version and listings.

5.6 L1 >

1. (Currently Amended) A data communication system comprising:  
a connector, adapted to connect a network that is connectable to a plurality of data processing terminals to said data communication system;  
an operation input unit, adapted to receive a manual designation manually inputted by from an operator;  
a data transmitter, adapted to transmit a document based on the designation inputted input by said operation input unit, the document being transmitted to an external data communication terminal via a line that does not include said connector; and  
a notification unit, adapted to notify a data processing terminal, via said connector,  
wherein notification includes of transmission result information, representing a document transmission performed by said data transmitter based on the designation inputted by said operation input unit, and the document transmitted by said data transmitter,  
wherein said notification unit notifies the data processing terminal of the transmission result information in accordance with a change in state of said data communication system,

~~wherein~~ said notification unit notifies the data processing terminal of the transmission result information related to the document transmission upon completion of the document transmission performed by said data transmitter, and

~~wherein~~ said notification unit notifies, in a case where user information is inputted input by said operation input unit with an address of the external data communication terminal, ~~a~~ the data processing terminal corresponding to the user information of the transmission result information.

2. (Previously Amended) A data communication system according to claim 1, wherein said data transmitter transmits the document based on a second designation from the data processing terminal connected to said data communication system via said connector.

3. (Previously Amended) A data communication system according to claim 1, wherein the transmission result information notified by said notification unit includes at least one of a transmission destination, a transmission time, and a number of transmission pages.

4. (Previously Amended) A data communication system according to claim 1, wherein said notification unit notifies the data processing terminal of the transmission result information in accordance with a change in information to be notified.

5. and 6. (Cancelled)

3,611 >

7. (Currently Amended) A data communication system comprising:

a connector, adapted to connect a network that is connectable to a plurality of data processing terminals to said data communication system;

an operation input unit, adapted to receive a manual designation manually inputted by from an operator, ~~said operation input unit being a part of said data communication system~~;

a designation unit, adapted to designate an ID, representing a user's data processing terminal on the network connected by said connector, from the manual designation ~~inputted~~ input by way of an operation of said operation input unit;

a data transmitter, adapted to transmit a document based on a designation ~~inputted~~ input by said operation input unit, the document being transmitted to an external data communication terminal via a line that does not include said connector;

a notification unit, adapted to notify the user's data processing terminal on the network connected by said connector corresponding to the ID designated by said designation unit, ~~via said connector, or wherein notification includes~~ information representing a document transmission performed by said data transmitter based on the designation inputted by said operation input unit, and the document transmitted by said data transmitter;

a determination unit, adapted to determine whether or not the ID is designated by said designation unit; and

a controller, adapted to control said notification unit in accordance with a determination result ~~of~~ by said determination unit,

wherein said notification unit notifies the user's data processing terminal of information related to the document transmission upon completion of the document transmission performed by said data transmitter.

8. (Currently Amended) A data communication system according to claim 7, wherein said notification unit does not perform a notification process in ~~an~~ absence of an ID designated by said designation unit.

9. (Currently Amended) A data communication system according to claim 7, wherein the ID designated by said designation unit is information representing a user on ~~a~~ the network.

10. (Previously Amended) A data communication system according to claim 7, wherein said data transmitter transmits the document, based on the designated ID, from the data processing terminal connected to said data communication system via said connector.

11. (Previously Amended) A data communication system according to claim 7, wherein the information notified by said notification unit includes at least one of a transmission destination, a transmission time, and a number of transmission pages.

12.-16. (Cancelled)

*SJZ L1* > 17. (Currently Amended) A method of controlling a system that includes a data communication system for performing document communication with a destination and a data processing terminal for controlling the data communication system, the data communication system being connected to the data processing terminal via a network that is connectable to a plurality of data processing terminals, said method comprising the steps of:

at the data communication system:

inputting a designation manually entered by an operator using an operation input unit;

designating an ID based on the manual designation inputted using the operation input unit;

performing document communication with an external data communication terminal in accordance with a designation inputted using the operation input unit;  
and

notifying the data processing terminal corresponding to the designated ID, via a connector connecting the data communication system and the data processing terminal, of wherein notification includes communication result information representing the document communication with the external data communication terminal based on the inputted designation, and a document transmitted by said the data communication system,  
and

at the data processing terminal:

instructing the data communication system to communicate with a destination;

receiving communication result information notified by the data communication system in said notifying step; and

independently storing the communication result information related to the document communication based on an instruction in said instructing step and communication result information received from the data communication system in said receiving step,

wherein said notification notifying step notifies the data processing terminal of the communication result information related to the document communication upon completion of the document transmission performed by the data communication system, and

wherein said notification notifying step includes notifying, in a case where user information is inputted input using the operation input unit with an address of the external data communication terminal, a data processing terminal corresponding to the user information of the communication result information.

18. (Currently Amended) A computer-readable storage medium storing a program for implementing a method for controlling a data communication system connected to a network that is connectable to a plurality of data processing terminals via a connector, the program comprising:

program code for an input step, of receiving a designation manually inputted by an operator using an operation input unit;

program code for a transmission step, of transmitting a document based on the designation manually inputted in said input step, the document being transmitted to an external data communication terminal via a line that does not include the connector; and

program code for a notification step, of notifying a data processing terminal, via the connector, of wherein notification includes transmission result information representing a document communication performed in the said transmission step based on the designation manually inputted input in the input step, and the document transmitted by said transmission step and in accordance with a change in state of the data communication system,

wherein the said notification step notifies the data processing terminal of the transmission result information related to the document transmission upon completion of the document transmission performed in the said transmission step, and

wherein said notification step includes notifying, in a case where user information is inputted input using the operation input unit with an address of the external data communication terminal, a data processing terminal corresponding to the user information of the transmission result information.

19. (Currently Amended) A computer-readable storage medium storing a program for implementing a method for controlling a data communication system connected to a network that is connectable to a plurality of data processing terminals via a connector, the program comprising:

program code for an input step, of receiving a designation manually inputted by an operator using an operation input unit that is a part of the data communication system;

program code for a designation step, of designating an ID, representing a user's data processing terminal on the network connected by the connector, from the designation manually inputted designation;

program code for a transmission step, of transmitting a document based on a the designation manually inputted in the said input step using the operation input unit, the document being transmitted to an external data communication terminal via a line that does not include the connector;

program code for a notification step, of notifying the user's data processing terminal on the network connected by the connector corresponding to the designated ID, via the connector, of wherein notification includes information representing a document communication performed in the said transmission step based on the designation manually inputted in the said input step, and the document transmitted by said transmission step;

program code for a determination step, of determining whether the ID is designated in the said designation step; and

program code for a control step, of controlling the said notification step in accordance with a determination result of the said determination step,

wherein the said notification step notifies the user's data processing terminal of information related to a document transmission upon completion of the document transmission performed in the said transmission step.

20. (Cancelled)

21. (Currently Amended) A data communication system that

communicates with an external device via a transmission path, and that communicates with a data processing terminal, said system comprising:

a signal path through which said data communication system

communicates with the data processing terminal, said signal path being a path different from the transmission path;

an input section through which an operator manually inputs a designation to the data communication system;

a transmitter that, based upon the manually inputted designation, transmits a document through the transmission path to the external device; and

a notifier that, because of a change in state of said data communication system, notifies the data processing terminal through said signal path,

wherein notification includes of transmission result information

corresponding to the document transmission by said transmitter based upon the manually inputted designation, and the data transmitted by said transmitter,

wherein said notifier notifies the data processing terminal of the transmission result information related to the document transmission upon completion of the document transmission performed by said transmitter, and

~~wherein~~ said notifier notifies, in a case where user information is inputted input by said input unit with an address of the external device, a data processing terminal corresponding to the user information of the transmission result information.

22. (Currently Amended) A method of controlling a data communication system that communicates with an external device and with a data processing terminal, said method comprising the steps of:

manually inputting a designation to the data communication system;  
transmitting a document to the external device via a transmission path, based upon the manually inputted designation, said transmitting step producing transmission result information; and

notifying, as a consequence of a change in state of the data communication system and via a signal path that does not correspond to the transmission path, the data processing terminal,

wherein notification includes of the transmission result information,  
and the document transmitted ~~by~~ in said transmitting step,

~~wherein~~ said notifying step notifies the data processing terminal of the transmission result information related to the document transmission upon completion of the document transmission performed in said transmitting step, and

~~wherein~~ said notifying step includes notifying, in a case where user information is inputted input in said inputting input step with an address of the external device, a

data processing terminal corresponding to the user information of the transmission result information.

23. (Currently Amended) A computer-readable storage medium storing a program for implementing a method for controlling a data communication system that communicates with an external device and a data processing terminal, the program comprising:

code for an input step, of inputting a manual designation to the data communication system;

code for a transmission step, of transmitting a document to the external device via a transmission path, based upon the inputted input manual designation, the transmitting said transmission step producing transmission result information; and

code for a notification step, of notifying, as a consequence of a change in state of the data communication system and via a signal path that is not the transmission path, the data processing terminal,

wherein notification includes of the transmission result information,

and the document transmitted by in said transmission step,

wherein the said notification step includes notifying the data processing terminal of the transmission result information related to the document transmission upon completion of the document transmission performed in the said transmission step, and

wherein the said notification step includes notifying, in a case where user information is inputted input in the input step with an address of the external device, a data processing terminal corresponding the user information of the transmission result information.

24. (Currently Amended) A data communication system, comprising:

a connector, adapted to connect a data processing terminal to said data communication system;

an operation input unit, adapted to receive a manual designation manually inputted by an operator;

an input unit, adapted to input a document to be transmitted to a destination;

a data transmitter, adapted to transmit the document inputted input by said input unit based on the designation inputted input by said operation input unit, the document being transmitted to the destination via a line that does not include said connector; and

K  
a notification unit, adapted to notify the data processing terminal, via said connector, of the wherein notification includes transmission result information representing a document transmission performed by said transmitter based on the designation input by said operation input unit, and the document transmitted by said data transmitter in accordance with a transmission operation.

25. (Previously Added) A data communication system according to claim 23, wherein said connector connects a network that is connectable to a plurality of data processing terminals to said data communication system.

26. (Previously Amended) A data communication system according to claim 23, further comprising a reader which reads an image on a document and generates an

image document, wherein said input unit inputs the image document from said reader and said data transmitter transmits the image document inputted by said input unit.

27. (Currently Amended) A method of controlling a data communication system, said method comprising the steps of:

a reception step, of receiving a manual designation, manually inputted by an operator;

an input step, of inputting a document to be transmitted to a destination;

a transmission step, of transmitting the inputted document to the destination via a line that does not include a connector adapted to connect a data processing terminal to said data communication system, said inputted the document is based on the received manual designation; and

a notification step, of notifying the data processing terminal, wherein notification includes of the transmission result information representing a document transmission based on the inputted designation input, and the document transmitted in accordance with a transmission operation, via said the connector.

28. (Currently Amended) A computer-readable storage medium storing a program for implementing a method of controlling a data communication system, said program comprising:

program code for a reception step, of receiving a manual designation, manually inputted by an operator;

program code for an input step, of inputting a document to be transmitted to a destination;

program code for a transmission step, of transmitting the ~~inputted~~ document to the destination via a line that does not include a connector adapted to connect a data processing terminal to said data communication system, ~~said inputted~~ the document is based on the received manual designation; and

program code for a notification step, of notifying the data processing terminal, wherein notification includes ~~of the~~ transmission result information representing a document transmission based on the inputted designation input, and the document transmitted in accordance with a transmission operation, via ~~said~~ the connector.

---